

# CSR SAFETY DATA SHEET

## CSR GYPROCK Acrylic Stud Adhesive

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

<b>Product Name:</b>	CSR GYPROCK Acrylic Stud Adhesive
<b>Other Names:</b>	None
<b>Product Codes/Trade Names:</b>	
<b>Recommended Use:</b>	Used to fix plasterboard and fibre cement to timber or steel framing
<b>Applicable In:</b>	Australia
<b>Supplier:</b>	CSR Building Products Limited ABN 55 008 631 356
<b>Address:</b>	Triniti 3, 39 Delhi Road, North Ryde, NSW 2113, Australia
<b>Telephone:</b>	+61 2 9235 8000 (or 1800 807 668 (available in Australia only))
<b>Email Address:</b>	<a href="http://www.csr.com.au/Pages/Contact-Us.aspx">http://www.csr.com.au/Pages/Contact-Us.aspx</a>
<b>Web Site:</b>	<a href="http://www.csr.com.au">www.csr.com.au</a>
<b>Facsimile:</b>	+61 2 9372 5819
<b>Emergency Phone Number:</b>	000 Fire Brigade and Police (available in Australia only)
<b>Poisons Information Centre:</b>	13 11 26 (available in Australia only)

This Safety Data Sheet (SDS) is issued by the Supplier in accordance with National standards and guidelines from Safe Work Australia (SWA – formerly ASCC/NOHSC). The information in it must not be altered, deleted or added to. The Supplier will not accept any responsibility for any changes made to its SDS by any other person or organization. The Supplier will issue a new SDS when there is a change in product specifications and/or Standards, Codes, Guidelines, or Regulations.

### SECTION 2: HAZARD IDENTIFICATION

**STATEMENT OF HAZARDOUS NATURE:** Classified as **Hazardous** according to the criteria of Safe Work Australia (SWA – formerly ASCC/NOHSC) Approved Criteria For Classifying Hazardous Substances [NOHSC:1008] 3rd Edition.

**CSR GYPROCK Acrylic Stud Adhesive** is classified as **Non-Dangerous Goods** according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

Risk Phrases	Safety Phrases
<b>R21/22:</b> Harmful in contact with skin and if swallowed	<b>S24/25:</b> Avoid contact with skin and eyes.
<b>R36:</b> Irritating to eyes.	<b>S36/37/39:</b> Wear suitable protective clothing, gloves and eye/face protection.

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name:	Synonyms:	Proportion:	CAS Number:
Calcium carbonate	Limestone	<60%	1317-65-3

CSR SDS Reference: LWS-SDS-166

Date Issued: 29/01/2015

Acrylic emulsion		10-50%	-
Thickeners		<5%	-
Dispersants		<5%	-
White spirits	Stoddard solvent	<2%	8052-41-3
Dye		<1%	-
Biocide		<1%	-
Surfactant		<1%	-
Plasticizer		<1%	-
Water		to 100%	7732-18-5

#### SECTION 4: FIRST AID MEASURES

<b>Swallowed:</b>	Rinse mouth and lips with water. Do not induce vomiting. If symptoms persist, seek medical attention.
<b>Eyes:</b>	Flush thoroughly with flowing water, while holding eyelids open, for 15 minutes to remove all traces. If symptoms such as irritation or redness persist, seek medical attention.
<b>Skin:</b>	Remove heavily contaminated clothing. Wash off skin thoroughly with water. Use a mild soap if available. Seek medical attention for persistent redness, irritation or burning of the skin.
<b>Inhaled:</b>	Remove to fresh air. If symptoms persist, seek medical attention.
<b>Advice to Doctor:</b>	Treat symptomatically.

#### SECTION 5: FIRE FIGHTING MEASURES

<b>Flammability:</b>	Non-flammable
<b>Suitable extinguishing media:</b>	Use carbon dioxide, foam, dry chemical or water spray to extinguish, as required for fire in surrounding materials.
<b>Hazards from combustion products:</b>	When heated to decomposition it may emit carbon dioxide, acrid smoke and irritating fumes including acrylic monomers.
<b>Special protective precautions and equipment for fire fighters:</b>	As required for fire in surrounding materials.
<b>HAZCHEM Code:</b>	None allocated

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>Emergency Procedure:</b>	Spill site may be slippery. Wear protective equipment to prevent skin and eye contamination as in Section 8.
<b>Containment Procedure:</b>	Absorb with sand, vermiculite or similar. Do not allow large volumes to enter drains, storm water systems or waterways.
<b>Clean Up Procedure:</b>	Scrape/shovel material into containers for disposal.

**SECTION 7: HANDLING AND STORAGE**

<b>Handling:</b>	Dusts can be generated during processing, handling, and storage. Wear protective equipment to prevent skin and eye contamination as in Section 8. Manual handling should be in accordance with Manual Handling Regulations and Codes.
<b>Storage:</b>	Store in factory packaging in a sealed container in a cool, dry area.
<b>Incompatibilities:</b>	None

**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

<b>Workplace Exposure Standards:</b>	<b>Workplace Exposure Standards for Airborne Contaminants, Safe Work Australia</b> White spirits: TWA – 790 mg/m <sup>3</sup> Any dust generated should be treated as nuisance dust: Calcium carbonate: TWA – 10 mg/m <sup>3</sup> as inspirable dust Total dust (of any type, or particle size): TWA – 10 mg/m <sup>3</sup>
<b>Notes on Exposure Standards:</b>	All occupational exposures to atmospheric contaminants should be kept to as low a level as is workable (practicable) and in all cases to below the Workplace Exposure Standard (WES).  TWA (Time Weighted Average): the time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.
<b>Biological Limit Values:</b>	No biological limit allocated.
<b>ENGINEERING CONTROLS</b>	
<input type="checkbox"/> <b>Ventilation:</b>	General room ventilation should be adequate, but local mechanical ventilation may be required if dust is generated, particularly in confined spaces.
<input type="checkbox"/> <b>Special Consideration for Repair &amp;/or Maintenance of Contaminated Equipment:</b>	Work areas should be cleaned regularly by damp sweeping or vacuuming. Recommendations on Exposure Control and Personal Protection should be followed.
<b>PERSONAL PROTECTION</b>	
<input type="checkbox"/> <b>Personal Hygiene:</b>	Work clothes should be washed regularly. Wash hands before eating, drinking, using the toilet, or smoking.
<input type="checkbox"/> <b>Skin Protection:</b>	Engineering controls and work practices should aim to minimise direct contact with the product. Wear loose comfortable clothing. Direct skin contact should be avoided by wearing long sleeved shirts and long trousers, a cap or hat, and gloves (e.g. standard duty leather or equivalent AS 2161 or PVC).
<input type="checkbox"/> <b>Eye Protection:</b>	Safety spectacles with side shields or coverall goggles with direct ventilation (AS/NZS 1336) should be worn if a risk of eye contact exists.
<input type="checkbox"/> <b>Respiratory Protection:</b>	Not required under normal circumstances. An approved particulate respirator conforming to Australian Standards AS/NZS 1715 and 1716 should be worn if dust is generated. Respirators should be correctly fitted, maintained in good condition, and kept in clean storage when not in use. Replaceable filters and cartridges should be replaced regularly in accordance with the manufacturers' guidelines and Australian Standards AS/NZS 1715 and 1716. Use only respirators that bear the Australian Standards mark and are fitted and maintained correctly, and kept in clean storage when not in use.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Viscous pale blue paste
<b>Odour:</b>	Mild ammonia odour
<b>pH, at stated concentration:</b>	Not available
<b>Vapour Pressure:</b>	Not determined
<b>Vapour Density (air = 1):</b>	Not determined
<b>Boiling Point/Range (°C):</b>	Not determined
<b>Freezing/Melting Point (°C):</b>	Not applicable
<b>Solubility in water:</b>	Insoluble
<b>Specific Gravity (H<sub>2</sub>O = 1):</b>	1.4 to 1.6
<b>FLAMMABLE MATERIALS</b>	
<input type="checkbox"/> <b>Flash Point:</b>	Not applicable
<input type="checkbox"/> <b>Flammable (Explosive) Limits:</b>	Not applicable
<input type="checkbox"/> <b>Autoignition Temperature:</b>	Not applicable
<b>ADDITIONAL PROPERTIES</b>	
<input type="checkbox"/> <b>% Volatiles:</b>	<2.5%
<input type="checkbox"/> <b>Volatile Organic Compounds (VOC) Content:</b> (as specified by the Green Building Council of Australia)	<2.5%

**SECTION 10: STABILITY AND REACTIVITY**

<b>Chemical Stability:</b>	Stable
<b>Incompatible Materials:</b>	None
<b>Conditions to avoid:</b>	Dust generation
<b>Hazardous Decomposition Products:</b>	Hydrocarbons and carbon oxides
<b>Hazardous Reactions:</b>	None

**SECTION 11: TOXICOLOGICAL INFORMATION**

**Toxicology data:** The information shown is based on the toxicity profiles of a number of acrylic emulsions that are similar in composition to the acrylic polymer used in this product.

Acute Data for acrylic polymer emulsion ingredient:

Oral LD50 - rat: > 5000 mg/kg

Dermal LD50 - rabbit: > 5000 mg/kg

Skin irritation - rabbit: practically non-irritating

Eye irritation - rabbit: inconsequential irritation.

Acute Data for White Spirits:

Oral LD50 - rat: > 5000 mg/kg

**Health Effects: Acute (short term)**

<b>Swallowed:</b>	Unlikely under normal industrial use, but swallowing more than a mouthful may result in nausea and abdominal discomfort.
<b>Eyes:</b>	Splashes or dust from the dried product may irritate the eyes causing watering and redness. Exposure to dust may aggravate pre-existing eye conditions.
<b>Skin:</b>	The dust from this product, particularly in association with heat and sweat, may cause irritation. It may be drying to the skin due to its physical characteristics.
<b>Inhaled:</b>	Dust is mildly irritating to the nose, throat and respiratory tract and may cause coughing and sneezing. Pre-existing upper respiratory and lung diseases including asthma and bronchitis may be aggravated.

**Health Effects: Chronic (long term)**

<b>Skin:</b>	Repeated heavy contact with the dust may cause drying of the skin and can result in skin rash (dermatitis) typically affecting the hands. Over time this may become chronic and can also become infected.
<b>Inhaled:</b>	Repeated exposure to the dust may result in increased nasal and respiratory secretions and coughing. Inflammation of lining tissue of the respiratory system may follow repeated exposure to high levels of dust with increased risk of bronchitis and pneumonia.

**SECTION 12: ECOLOGICAL INFORMATION**

<b>Eco-toxicity:</b>	The physical and chemical nature of the product, and toxicological data on ingredients, indicate that this product is a relatively low risk.
<b>Persistence and Degradability:</b>	Product is persistent and would have a low degradability.
<b>Mobility:</b>	A low mobility would be expected in a landfill situation.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Product can be treated as a common waste for disposal or dumped into a landfill site in accordance with local authority guidelines. Measures should be taken to prevent dust generation during disposal and exposure and personal precautions should be observed (see Section 8 above).

**SECTION 14: TRANSPORT INFORMATION**

<b>Proper Shipping Name:</b>	None allocated
<b>UN number:</b>	None allocated
<b>DG Class:</b>	None allocated
<b>Subsidiary Risk 1:</b>	None allocated
<b>Packaging Group:</b>	None allocated
<b>HAZCHEM code:</b>	None allocated
<b>Marine Pollutant:</b>	No
<b>Special Precautions for User:</b>	None

**SECTION 15: REGULATORY INFORMATION**

<b>Poisons Schedule:</b>	Not scheduled
--------------------------	---------------

**SECTION 16: OTHER INFORMATION****For further information on this product, please contact:**

CSR Building Products Limited (ABN 55 008 631 356), Trinita 3, 39 Delhi Road, North Ryde, NSW 2113, Australia

**Phone:** +61 2 9372 5888 or 1800 807 668 (available in Australia only)**Fax:** +61 2 9372 5877**ADDITIONAL INFORMATION****Australian Standards References:**

AS/NZS 1336	Recommended Practices for Occupational Eye Protection
AS/NZS 1715	Selection, Use and Maintenance of Respiratory Protective Devices
AS/NZS 1716	Respiratory Protective Devices
AS/NZS 2161	Industrial Safety Gloves and Mittens (excluding electrical and medical gloves)

**Other References:**

NOHSC:1008 (2004)	Approved Criteria for Classifying Hazardous Substances
Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals, December 2011, Safe Work Australia.
Model Code of Practice	Labelling of Workplace Hazardous Chemicals, December 2011, Safe Work Australia.
Model Code of Practice	Managing Risks Of Hazardous Chemicals In The Workplace, July 2012, Safe Work Australia.
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail, 7 <sup>th</sup> edition, National Transport Commission.
WES	Workplace Exposure Standards For Airborne Contaminants, April 2013, Safe Work Australia.
WES	Guidance On The Interpretation Of Workplace Exposure Standards For Airborne Contaminants, April 2013, Safe Work Australia.
GHS	Globally Harmonized System of Classification and Labelling of Chemicals (GHS), 5 <sup>th</sup> revised edition, United Nations, New York and Geneva, 2013.
HSIS	Hazardous Substances Information System (HSIS), internet advisory service, Safe Work Australia.

**AUTHORISATION**

Reason for Issue:	Periodic review and update
Authorised by:	Peter Tollens
Date of Issue:	29/01/2015

Whilst the information contained in this document is based on data which, to the best of our knowledge, was accurate and reliable at the time of preparation, no responsibility can be accepted by us for errors and omissions. The provision of this information should not be construed as a recommendation to use any of our products in violation of any patent rights or in breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, no responsibility can be accepted by us for any loss or damage caused by any person acting or refraining from action as a result of this information.

END OF SDS

CSR SDS Reference: LWS-SDS-166

Date Issued: 29/01/2015